

Zinc-air batteries deliver great potential as emerging energy storage systems but suffer from sluggish kinetics of the cathode oxygen redox reactions that render unsatisfactory cycling lifespan. The exploration on bifunctional electrocatalysts for oxygen reduction and evolution constitutes a key solution, where rational design strategies to ...

The mechanisms underpinning high energy storage density in lead-free  $\text{Ag}_{1-3x}\text{Nd}_x\text{Ta}_y\text{Nb}_{1-y}\text{O}_3$  antiferroelectric (AFE) ceramics have been investigated. Rietveld refinements of in-situ synchrotron X-ray data reveal that the structure remains quadrupled and orthorhombic under electric field (E) but adopts a non-centrosymmetric space group,  $\text{Pmc}2_1$ , ...

Enhanced energy storage performance, with recoverable energy density of  $4.2 \text{ J cm}^{-3}$  and high thermal stability of the energy storage density (with minimal variation of  $\leq 5\%$ ) over  $20\text{-}120^\circ\text{C}$  ...

This is the highest known energy storage performance in tetragonal tungsten bronze-based ferroelectric. Notably, this ceramic shows remarkable stability over frequency, ...

As shown in Fig. 1, BST-based ceramics obtain substantial increases in ESP through the aforementioned collaborative strategy, which includes the introduction of the BMZ and the VPP technology. Notably, the examined BST-BMZ VPP ceramics have higher  $P_m$ , lower  $P_r$ , a wider  $\text{TCC} \times \text{C}$  value, and higher  $E_b$ , all of which contribute to an excellent ESP ( $W_{\text{rec}} = \dots$ )

Caffeine as an energy storage material for next-generation lithium batteries. Wontae Lee, Yeongjin Lee, Hyunyoung Park, Munhyeok Choi, ... Won-Sub Yoon. Pages 13-24 [View PDF](#). [Article preview](#).

The development of sodium-ion batteries (SIBs) calls for a cathode material with high specific capacity to store energy, long lifespan to reduce maintenance cost, and flexible power storage capability to adapt climate change [[1], [2], [3], [4]]. Sodium super-ionic conductor (NASICON) materials have attracted great attention due to their distinctive crystallographic ...

Room temperature energy storage property which depends on the composition X, was performed using P-E hysteresis loops of the glass-ceramics. The optimum discharge density was obtained for B3 with ...

Rechargeable battery technologies are vital for large-scale renewable energy storage. Lithium-ion batteries (LIBs) are famous for their high energy density and long lifespan. However, the proliferation of LIBs in portable electronics and electric vehicles makes lithium resources too expensive to be applied to large-scale energy storage [ [5 ...

Currently, carbon materials, such as graphene, carbon nanotubes, activated carbon, porous carbon, have been successfully applied in energy storage area by taking advantage of their structural and functional diversity.

However, the development of advanced science and technology has spurred demands for green and sustainable energy storage materials. Biomass ...

Magnesium metal has the high capacity (2,205 mAh g<sup>-1</sup> and 3,833 mAh cm<sup>-3</sup>), low redox potential (-2.37 V versus normal hydrogen electrode), resource abundance, and non-dendritic deposition behavior to be qualified as an ideal anode for high-energy batteries. A major challenge for realizing viable Mg batteries is the hunt for high-performance cathode ...

The BT-SBT-CT ceramics exhibit the high recoverable energy storage density of 4.0 J cm<sup>-3</sup> under electric field of 480 kV cm<sup>-1</sup>. Its recoverable energy storage density varies ...

Such an increase of  $E_b$  could allow an improvement of the energy storage of the BT ceramics since the energy density ( $W$ ) for a linear dielectric corresponds to  $W = 1/2 \epsilon_0 \epsilon_r E_b^2$ , where  $\epsilon_0 = 8.85 \times 10^{-12} \text{ F m}^{-1}$  is the vacuum permittivity, and  $\epsilon_r$  is the relative dielectric permittivity. Therefore, it is possible to increase both constant ...

Advanced energy storage electronics are becoming increasingly important to applications with the demand of the modern pulsed power technology in the field of power distribution and transportation [1], [2]. Especially, ceramic capacitors have been focused on energy storage applications because of their high power density, high reliability, numerous times of ...

Briefly, the energy storage properties of 0.9BT-0.1BMZ relaxor ferroelectric ceramics prepared by the sol-gel method had been greatly optimized which possessed a broad ...

The Journal of Energy Storage focusses on all aspects of energy storage, in particular systems integration, electric grid integration, modelling and analysis, novel energy storage technologies, sizing and management strategies, business models for operation of storage systems and energy storage ... View full aims & scope \$

Lead-free ceramic capacitors with large energy storage density and efficiency synchronously under moderate electric fields is a challenging. In this work, a pathway of configuration entropy modulation (DS config) overcomes this challenge. The  $(1-x)(\text{Na}_{0.5} \text{Bi}_{0.47} \text{La}_{0.03})_{0.94} \text{Ba}_{0.06} \text{TiO}_{3-x} \text{Sr}(\text{Sn}_{0.2} \text{Ti}_{0.2} \text{Al}_{0.2} \text{Ta}_{0.2} \text{Hf}_{0.2})\text{O}_3$  ceramics were ...

Polymer-based dielectric materials play a key role in advanced electronic devices and electric power systems. Although extensive research has been devoted to improve their energy-storage performances, it is a great challenge to increase the breakdown strength of polymer nanocomposites in terms of achieving high energy density and good reliability under ...

Presently, commercialization of sodium-ion batteries (SIBs) is still hindered by the relatively poor energy-storage performance. In addition, low-temperature (low-T) Na storage is another principal concern for the wide application of SIBs. Unfortunately, the Na-transfer kinetics is extremely sluggish at low-T, as a

result, there are few reports on low-T SIBs.

Rechargeable aqueous Zn/MnO<sub>2</sub> batteries show great potential for grid-scale storage due to their low cost, high safety, and energy density, yet suffer from continuous capacity decay during operation.

Since traditional fossil energy sources are harmful to the environment, it is urgent to develop new renewable energy sources and find scientific and efficient energy storage methods [1], [2]. Dielectric energy storage capacitors with fast charge/discharge speed and high power density can regulate intermittent renewable energies [3]. Dielectric ceramics, as the core part of ...

Dual-doped carbon hollow nanospheres achieve boosted pseudocapacitive energy storage for aqueous zinc ion hybrid capacitors. Jie Li, Jihua Zhang, Lai Yu, Jingyu Gao, ... Genqiang Zhang. Pages 705-714 View PDF. Article preview. select article High-voltage K/Zn dual-ion battery with 100,000-cycles life using zero-strain ZnHCF cathode.

The dielectric materials with high power and energy storage density are desired to meet the ever-growing requirements for the miniaturization of pulsed power systems [1], [2], [3]. The energy storage density of the materials is inseparable from their dielectric constant and electrical breakdown strength (BDS).

In this regard, the 2.5% BaO contribution has a positive effect on the energy storage capability of PCz by increasing  $\epsilon'$  and decreasing the  $\epsilon''$  parameters in the low-frequency region (see Table 2 and Fig. 9). Hence, the 2.5% BaO/PCz nanocomposite is promising for energy storage applications.

In particular, BT-0.16BMS ceramics achieved excellent current density ( $C_D = 1475.58 \text{ A/cm}^2$ ), power density ( $P_D = 177.07 \text{ MW/cm}^3$ ), discharge energy density ( $W_d = 1.35 \text{ J/cm}^3$ ) and ...

The growing demand for high-power-density electric and electronic systems has encouraged the development of energy-storage capacitors with attributes such as high energy density, high capacitance density, high voltage and frequency, low weight, high-temperature operability, and environmental friendliness. Compared with their electrolytic and film ...

Carbon is the most versatile material and almost touches every aspect of our daily life, such as newspaper, ink, pencil, tire, water purification, energy storage, environmental remediation, civil infrastructures and even advanced aerospace shuttles [Citation 5-8] fact, there are a wide variety of allotropes of carbon materials, such as crystalline carbon (graphite ...

A defect-free MOF composite membrane prepared via in-situ binder-controlled restrained second-growth method for energy storage device. Jine Wu, Qing Dai, Huamin Zhang, Xianfeng Li. Pages 687-694 View PDF. Article preview.

Investigating how defect dipoles may be controlled to maximize energy storage is an innovative method to

improving ferroelectric material performance. Understanding the ...

Lead-free dielectric ceramics can be used to make quick charge-discharge capacitor devices due to their high power density. Their use in advanced electronic systems, however, has been hampered by their poor energy storage performance (ESP), which includes low energy storage efficiency and recoverable energy storage density ( $W_{rec}$ ). In this work, we ...

Chemical modification is an important method for preparing ceramics with excellent energy storage performance. For example, Wang et al. have added Sr<sub>0.85</sub>Bi<sub>0.1</sub>TiO<sub>3</sub> and NaNbO<sub>3</sub> to BNT and obtained  $W_r$  of 3.08 J/cm<sup>3</sup> and  $\eta$  of 81.4% [15]. Hao et al. prepared NaNb-Bi(Mg<sub>0.5</sub>Zr<sub>0.5</sub>)TiO<sub>3</sub> ceramics and obtained  $W_r$  of 2.31 J/cm<sup>3</sup> and  $\eta$  of 80.2% ...

Web: <https://akacje10.waw.pl>

Chat online: <https://tawk.to/chat/667676879d7f358570d23f9d/1i0vbu11i?web=https://akacje10.waw.pl>