

Preparation and characteristics optimization of octadecanoic acid/octadecanol/expanded graphite based composite phase change materials for energy storage. Author links open overlay panel Zhoujian An, Hamir Johan Mombeki ... Thermal conductivity improvement of stearic acid using expanded graphite and carbon fiber for energy ...

Expanded graphite/ paraffin composite phase change materials (CPCMs) with enhanced thermal conductivity and thermal energy storage property are designed and obtained through infiltrating liquid paraffin into the expanded graphite bulk (EG).

Using cold latent heat thermal energy storage (LHTES) in cold chain logistics can improve the energy efficiency. In this study, a shape-stabilized phase change material (PCM) with dodecane as PCM and expanded graphite (EG) as skeleton was developed firstly.

A novel shape-stabilized phase change material, adopting hydrated salts as phase change material and expanded graphite (EG) as supporting material, was prepared by impregnation method and further coated with paraffin. ... Preparation and thermal properties of polyethylene glycol/expanded graphite blends for energy storage. *Appl Energy*, 86 (9 ...

Utilization of $\text{KNO}_3\text{-LiNO}_3\text{-Ca}(\text{NO}_3)_2$ /expanded graphite (EG) as composite phase change materials (PCMs) for medium-temperature thermal energy storage was investigated in this paper.

Latent heat storage is also known as phase change heat storage, which is the use of phase change material (PCM) to achieve heat storage and release. The characteristics ...

The characteristics of phase change heat storage include high energy storage density and a small temperature range during the phase change process. ... Thermal performance of galactitol/mannitol eutectic mixture/expanded graphite composite as phase change material for thermal energy harvesting. *J. Energy Storage*, 34 (2021), Article 101997.

In order to improve energy storage efficiency and promote the early achievement of global carbon neutrality goals, this paper proposes a spherical thermal storage unit filled with a composite phase change material (CPCM) comprising myristic acid (MA) and expanded graphite (EG). The effects of EG content and Stefan number (Ste) on the melting performance were ...

For phase change energy storage materials, ... Photo-to-thermal conversion and energy storage of lauric acid/expanded graphite composite phase change materials. *Int J Energy Res*, 44 (11) (2020), pp. 8555-8566. Crossref View in Scopus Google Scholar [50] B. Suleiman, J. Larfeldt, B. Leckner, M. Gustavsson.

Expanded graphite phase change energy storage

A review on phase change energy storage: materials and applications. *Energy Convers. Manag.*, 45 (9-10) (2004), pp. 1597-1615. ... Thermal optimization of composite phase change material/expanded graphite for Li-ion battery thermal management. *Appl. Therm. Eng.*, 108 (2016), pp. 1119-1125. [View PDF](#) [View article](#) [View in Scopus](#) [Google Scholar](#).

The stearic acid/expanded graphite composite (SA/EG 6) had the melting and freezing heats of 163.5 J g⁻¹ and 167.3 J g⁻¹, respectively.. The infrared images manifested that the SA/EG 6 was definitely good at transient temperature response.. We developed a TSWH apparatus with composites and testified that the SA/EG 6 has a great potential application in ...

In passive BTMs incorporating PCMs, heat pipes, and hydrogels, PCMs function as thermal energy storage units with latent heat ranging from 150 to 250 Jg⁻¹. This integrated PCM ...

In the high-temperature phase change heat storage system, the packed-bed is considered to be one of the most popular devices due to its high heat exchange area and wide temperature range [10].The author's group has also designed and constructed a packed-bed latent thermal energy storage (PBLHS) system and conducted extensive research on its ...

The low thermal conductivity and liquid-phase leakage of phase change materials seriously hinder their large-scale applications. Porous materials have been identified as an effective way to address the leakage and provide a thermally conductive network. Therefore, we designed an expanded graphite-based multifunctional composite phase change thermal ...

Phase change materials (PCMs) can be incorporated with low-cost minerals to synthesize composites for thermal energy storage in building applications. Stone coal (SC) after vanadium extraction treatment shows potential for secondary utilization in composite preparation. We prepared SC-based composite PCMs with SC as a matrix, stearic acid (SA) as a PCM, and ...

Latent thermal energy storage (LTES) using phase change material (PCM) is one of the most preferred forms of energy storage, which can provide high energy storage density, and nearly isothermal heat storage/retrieval processes [1], [2].For such energy storage system, solid-liquid transition is most preferred because of the small variation in volume, unlike ...

A paraffin/expanded graphite composite phase change thermal energy storage material was prepared by absorbing the paraffin into an expanded graphite that has an excellent absorbability. In such a composite, the paraffin serves as a latent heat storage material and the expanded graphite acts as the supporting material, which prevents leakage of the melted ...

Because of high energy storage density and quasi isothermal behavior during heat storage and release, phase change materials (PCMs) have been used in the fields of building energy conservation, battery overheating

Expanded graphite phase change energy storage

protection, solar energy system and so on [1], [2], [3]. However, the problems of liquid leakage and low thermal conductivity make pristine ...

Preparation and Properties of Capric-Myristic Acid/Expanded Graphite Composite Phase Change Materials for Latent Heat Thermal Energy Storage Energies, 13 (10) (2020), pp. 2462 - 2474 Crossref View in Scopus Google Scholar

High temperature latent heat thermal energy storage: phase change materials, design considerations and performance enhancement techniques. ... Thermal performance of galactitol/mannitol eutectic mixture/expanded graphite composite as phase change material for thermal energy harvesting. Journal of Energy Storage, 34 (2021), 10.1016/j.est.2020. ...

To create an energy-efficient heat pump latent heat thermal energy storage (HPLHTES) system, a novel sodium acetate trihydrate (SAT)-potassium chloride (KCl)-urea/expanded graphite (EG) composite phase-change material (CPCM) was developed in ...

Pristine organic phase change materials (PCMs) suffer from liquid leakage and weak solar absorption in solar energy utilization. To address these deficiencies, we prepared polypyrrole (PPy)-coated expanded graphite (EG)-based composite PCMs for photothermal conversion and storage through chemical polymerization and physical infiltration methods.

Thermal energy storage materials are the core of thermal energy storage technology. Phase change materials (PCMs) ... Properties of form-stable paraffin/silicon dioxide/expanded graphite phase change composites prepared by sol-gel method. Appl. Energy, 92 (2012), pp. 456-461.

Preparation and thermal performance enhancement of sodium thiosulfate pentahydrate- sodium acetate trihydrate /expanded graphite phase change energy storage composites. Author links open overlay panel Liming Ye a, Ning Xie a, Yutai Lan a, Junyi Niu a, Suyun Deng a, Xuenong gao a b, Yutang Fang a b, Zhengguo Zhang a b. Show more.

Thermal energy storage using phase change materials (PCMs) is an advanced technology that can charge, store, and discharge latent heat of solid-liquid phase change processes. ... Zhao L, Wu Y (2022) Stearic acid/expanded graphite composite phase change material with high thermal conductivity for thermal energy storage. Energy Rep 8:4834 ...

Recently, the phase change materials (PCMs) have been widely used thanks to their high thermal energy storage (TES) capacity. Several works have proved its ability to reduce the energy consumption [1, 2]. Among the multifarious methods for thermal energy storage [3], the latent thermal energy storage (LTES) is notably efficient because of the small temperature ...

Expanded graphite phase change energy storage

CES includes sensible heat storage (SHS), latent heat storage (LHS) [5], and thermochemical energy storage [6]. LHS, also called phase-change energy storage, can absorb or release latent heat for CES using phase-change materials (PCMs) [7], and its storage capacity is 5-14 times higher than that of SHS [8]. Based on the state of phase transition, PCMs can be ...

Latent heat thermal energy storage based on phase change materials (PCM) is considered to be an effective method to solve the contradiction between solar energy supply and demand in time and space. ... Preparation and thermal characterization of sodium acetate trihydrate/expanded graphite composite phase change material. J Therm Anal Calorim ...

Molten nitrate is widely used as thermal storage medium in the solar thermal power plants for its appropriate phase-change temperature, high heat storage density and low cost, etc. But its low thermal conductivity, heat absorbing and releasing rate limited its application. Expanded graphite (EG) can compensate the low thermal conductivity of nitrate. In this study, ...

Characterization and stability study of a form-stable erythritol/expanded graphite composite phase change material for thermal energy storage. Renew. ... Recent progress about expanded graphite matrix composite phase change material for energy storage. Energy Storage Sci. Technol., 3 (2014), pp. 210-215, 10.3969/j.issn.2095-4239.2014.03.005 ...

Recent developments in phase change materials for energy storage applications: a review. Int. J. Heat Mass Tran., 129 (2019), pp. 491 ... Effects of graphite microstructure evolution on the anisotropic thermal conductivity of expanded graphite/paraffin phase change materials and their thermal energy storage performance. Int. J. Heat Mass ...

Fabrication of shape-stable glycine water-based phase-change material using modified expanded graphite for cold energy storage. Energy., 290 (2024), Article 130306, 10.1016/j ... Enhanced mechanical and thermal properties of expanded graphite/ice phase change materials through in-situ polymerization of sodium polyacrylate in cold chain ...

Web: <https://akacje10.waw.pl>

Chat online: <https://tawk.to/chat/667676879d7f358570d23f9d/1i0vbu11i?web=https://akacje10.waw.pl>