

Although the warmth retention of cotton fabric is better than that of PET fabric, it is still different from CNF1-PE/PW phase change fiber. Fig. 6 f presents the temperature cycling curve of the CNF 1-PE/PW phase-change fabric between room temperature (26.5 °C) and 60 °C, showing no obvious attenuation after 50 cycles.

Photo-thermal conversion is one of the effective ways to utilize solar energy. Regarding the intermittence and instantaneousness of solar energy, using phase change materials (PCMs) can solve this ...

Phase change fibers, fibers that contain phase change materials (PCMs), can help create a comfortable microclimate with almost constant temperature through storing and releasing a large amount of thermal energy during the reversible phase-transition of PCMs [[1], [2], [3]]. Phase change fibers have attracted much attention for temperature regulation, heat ...

Carbon nanotube graphene multilevel network based phase change fibers and their energy storage properties. J. Mater. Chem. C (2024), 10.1039/D4TC03006K. Google Scholar [30] L. Wang, Q. Lin, L. Yuan, Z. Zheng. Hollow spongy phase change composite fiber with heat storage behavior via photo-thermal transition, fibers and polymers. Fibers Polym ...

Compared with the thermal curing process, the photocuring process has advantages such as high efficiency and less energy consumption. However, the preparation of photocurable phase change materials (PCMs) with photothermal conversion and self-cleaning properties is challenging due to the conflict between the transparency required by the ...

Investigating their photo-to-heat response, the study focused on low ... signifying effective photoheat conversion and storage along the single fiber despite the cold environment. ... of MEPCM capsules/fibers in terms of morphology, encapsulation ratio, particle size distribution, thermal conductivity, phase change energy storage properties ...

Consequently, intelligent PCFs with comfortable properties, temperature regulation capabilities, and energy storage performances are favourable for daily life. In general, a phase change working substance is flowable and amorphous above the phase change temperature, whereas, it is rigid, brittle, and fragile below the melting point [11 ...

Phase change materials (PCMs) have attracted significant attention in thermal management due to their ability to store and release large amounts of heat during phase transitions. However, their widespread application is restricted by leakage issues. Encapsulating PCMs within polymeric microcapsules is a promising strategy to prevent leakage and increase ...



Phase change materials (PCMs) have the ability of absorbing or releasing significant amounts of heat but maintaining a consistent temperature [[12], [13], [14]]. The development of smart textiles with thermal energy storage capabilities based on PCMs enables them to serve as bidirectional temperature regulating materials [15, 16]. Currently employed ...

Phase change materials (PCMs) have shown promising applications for thermal energy storage and management. With the purposes of solving the critical leakage problem and improving the thermal conductive property of paraffin PCM, composite PCMs as-supported by carbon fiber bundles were fabricated by a simple vacuum impregnation.

and releasing heat through the phase change procedure, thereby achieving local environmental temperature regula-tion [1]. Energy storage technology based on PCM has a potential approach for thermal energy storage and thermal management [2, 3]. Combining PCMs with ber manufac-turing, phase change bers with temperature regulation

Thermal energy storage (TES) techniques are classified into thermochemical energy storage, sensible heat storage, and latent heat storage (LHS). [1 - 3] Comparatively, LHS using phase change materials (PCMs) is considered a better option because it can reversibly store and release large quantities of thermal energy from the surrounding ...

On the other hand, the limited solar absorbance and high reflectance of neat PCMs require the addition of a photo-absorber dopant to allow efficient harvesting of broadband solar energy. ... Flexible, stimuli-responsive and self-cleaning phase change fiber for thermal energy storage and smart textiles. Compos B Eng, 228 (2022), Article 109431.

Flexible shape-stabilized composite phase change materials (ss-CPCMs) have a wide range of potential applications because they can be woven into desired shapes. In this work, a series of novel flexible paraffin/multi-walled carbon nanotubes (MWCNTs)/polypropylene hollow fiber membrane (PHFM) ss-CPCMs (PC-PHFM-CPCMs) with weavability were fabricated for ...

Phase change material (PCM) has drawn much interest in the field of thermal energy storage (TES) such as waste heat recovery [5], solar energy utilization [6], thermal conserving and insulation buildings [7], electric appliance thermoregulation [8] and thermal comfortable textiles [9, 10], because it can store a large amount of thermal energy ...

The energy conversion capacities (photo/electro-thermal conversion) increase as the expanded graphite mass fraction increases. ... and thus it is widely used in the thermophysical property measurement for fiber ... indicating the largest mass fraction without leakage for the phase change energy storage material. Composite PCMs retained a high ...



Nanofibers with thermal management ability are attracting great attention in both academia and industry due to the increasing interest in energy storage applications, thermal insulation, and ...

Capture and utilization of solar energy using phase change materials (PCMs) can effectively answer the challenge of solar intermittency. However, the flaws of low thermal conductivity and poor thermal stability of PCMs limit their practical applications, and the selective absorption of solar energy also hinders it to achieve high photo-thermal conversion.

The hierarchical structure endows the composite film with phase change energy storage and photo/electro-thermal multi-modal heat charging performance. Specifically, the encapsulated paraffin ... PW was selected as the core layer of the phase change fiber. PW not only has the advantages of high energy storage density, high heat capacity, high ...

The distinctive thermal energy storage attributes inherent in phase change materials (PCMs) facilitate the reversible accumulation and discharge of significant thermal energy quantities during the isothermal phase transition, presenting a promising avenue for mitigating energy scarcity and its correlated environmental challenges [10].

DOI: 10.1016/j.nanoen.2024.109437 Corpus ID: 268233324; Composite Phase-Change Materials for Photo-Thermal Conversion and Energy Storage: A review @article{Chai2024CompositePM, title={Composite Phase-Change Materials for Photo-Thermal Conversion and Energy Storage: A review}, author={Zongce Chai and Minghao Fang and Xin Min}, journal={Nano Energy}, ...

Thermal energy storage can be categorized into different forms, including sensible heat energy storage, latent heat energy storage, thermochemical energy storage, and combinations thereof [[5], [6], [7]]. Among them, latent heat storage utilizing phase change materials (PCMs) offers advantages such as high energy storage density, a wide range of ...

After heating the fiber to the phase transition temperature of HEO, its length reduced, and the scale on the bottom of the weight was 4.8 cm, indicating that the fiber shortened by 1.4 cm. Solid-liquid mutual conversion of PCMs often occurs in PCFs, so even if the resilience of the fiber decreases in the solid state, it can return to its ...

A novel thermoplastic polyurethane (TPU) PCFs possessing a high loaded ratio and high elasticity was simply prepared by vacuum absorption following wet spinning, then coated by waterborne polyurethane (WPU). Octadecane (OCC), hexadecanol (HEO), and stearic acid (SA), which have different tendencies to form hydrogen bonds with TPU, were selected as ...

Web: https://akacje10.waw.pl



 $Chat\ online:\ https://tawk.to/chat/667676879d7f358570d23f9d/1i0vbu11i?web=https://akacje10.waw.plat.online:\ https://akacje10.waw.plat.online:\ https://a$