

H. Krishnaswami and N. Mohan, "Three-port series-resonant dc-dc converter to interface renewable energy sources with bidirectional load and energy storage ports," IEEE Trans. Power Electron., vol. 24, no. 10, pp. 2289-2297, Oct. 2009.

40) Hongfei Wu, Shun Ding, Kai Sun, Yuewei Li, Yan Xing. A bidirectional soft-switching series-resonant converter with simple PWM control and load-independent voltage-gain characteristics for energy storage system in DC microgrids. IEEE Journal of Emerging and Selected Topics in Power Electronics. v 5, n 3, p 995-1007, Sep 2017.

2.1 Circuit configuration. Figure 1 shows the proposed CSRSC voltage equalizer for an n-cell series-connected energy storage string. Each cell is connected in parallel with a half bridge. The energy transfer module is divided into two structures of X and Y, which are connected to the midpoint of the two switches combined with the cell. Every two adjacent cells are ...

Improved topology of three-phase series resonant DC-DC boost converter with variable frequency control. Author links open overlay panel Mohamed Salem ... Comparison of resonant power converters with two, three, and four energy storage elements, in: Industrial Electronics Society, IECON 2015-41st Annual Conference of the IEEE, IEEE, 2015, pp ...

In conventional energy storage systems using series-connected energy storage cells such as lithium-ion battery cells and supercapacitors (SCs), an interface bidirectional converter and cell voltage equalizer are separately required to manage charging/discharging and ensure years of safe operation. In this paper, a bidirectional PWM converter integrating cell ...

Coupled inductor is employed which eliminates current ripples in input/output of converter. So Cuk converters are interfaced with energy storage system [7] in Fig. 3(c) boost and buck configuration that are in series with energy storage capacitor which allows for both higher and lower output voltages [14].

A fixed frequency operated bidirectional series-resonant (BSR) converter is proposed for energy storage system in dc microgrid. Simple pulsewidth modulation (PWM) control is applied to the proposed converter to regulate the power flows and achieve the following attractive features: 1) the voltage gain of the converter is only determined by the effective duty ...

CONCLUSION In this paper, a three-port series resonant converter was introduced to interface renewable energy sources and the load, along with energy storage. It was proven by analysis and experimental results that power flow between ports can be controlled by series resonance and phase-shifting the square wave outputs of the three active bridges.

energy storage systems would be simplified by reducing the number of components. An equalization charger

capable of not only charging but also equalizing cell voltages has been proposed for small-scale energy storage systems [39]. Although the energy storage system can be simplified by integrating a

ZVS Full Bridge Series Resonant Boost Converter with Series-Connected Transformer June 2017
International Journal of Power Electronics and Drive Systems (IJPEDS) 8(2):812

However, as the operating frequency increases, its gain gradually slows down, which hinders the LLC resonant converter from achieving a wide gain range. Therefore, the proposed converter adopts a PFM + PWM hybrid modulation strategy to achieve a wide gain range.

Step-Up Series Resonant DC-DC Converter with ... DC-DC converters suitable for the integration of low-voltage energy sources and battery energy storage in DC microgrids [3]. ... boost VDR is ...

CONCLUSION In this paper, a three-port series resonant converter was introduced to interface renewable energy sources and the load, along with energy storage. It was proven by analysis and experimental results that power flow ...

1 INTRODUCTION. Energy storage is an important part of the smart grid. In recent years, the energy storage industry in many countries has developed rapidly, and many demonstration projects have been established in the fields of grid connection of renewable energy, distributed power generation and micro-grid, power transmission and distribution, and ...

This paper presents a new control method for a bidirectional DC-DC LLC resonant topology converter. The proposed converter can be applied to power the conversion between an energy storage system and a DC bus in a DC microgrid or bidirectional power flow conversion between vehicle-to-grid (V2G) behavior and grid-to-vehicle (G2V) behavior. ...

Using the direct C2C balancing circuit, energy can transfer directly from a higher capacitive to a lower capacitive energy storage cell in the series EESS string. ... MOSFET switches, single switches-capacitor, series resonant energy carrier, cell monitoring integrated circuit (IC), and master controller.

The proposed converter combines the quadratic, coupled inductor (CL), and VMC techniques to achieve ultra-high voltage gain and low switching stress even at the low ...

This paper proposes a high gain DC-DC converter based on the series resonant converter (SRC) for photovoltaic (PV) applications. This study considers low power applications, where the resonant inductance is usually relatively small to reduce the cost of the converter realization, which results in low-quality factor values. On the other hand, these SRCs can be ...

The dual-bridge series resonant converter (DB SRC) [1], which shares some similarities with the standard full-bridge DC/DC series resonant converters (like LLC), still has some unique features due to the

Series resonant boost energy storage

secondary-side bridge, such as the capability of bidirectional power flow and voltage boost operation. Such type of

The traditional LLC resonant converter usually uses PFM modulation to obtain ZVS in the full load range. However, as the operating frequency increases, its gain gradually slows down, which hinders the LLC resonant converter from achieving a wide gain range.

The RTN, also called a tuned circuit, resonant circuit, LC circuit, or tank circuit, is the next level. It is made up of reactive elements for the storage of vacillating energy at the circuit's resonant frequency. The RTN stage of RPCs is the most significant. In the high-frequency RTN, a stage is made up of 2, 3, or more elements.

This paper proposes an improved topology of the three-phase series resonant DC-DC Boost converter with variable frequency control. The DC output voltage can be properly regulated at a constant ...

This paper presents a novel bidirectional series resonant converter for energy storage systems (ESS). Conversion between a DC energy storage device and an AC grid has grown in importance because ...

In this thesis, a capacitor semi-active hybrid energy storage system for electric vehicle is proposed. A DC-to-DC bi-directional converter is required to couple the supercapacitor to the system DC bus. Through literature reviews, it was decided that a dual-bridge resonant converter with HF transformer isolation is best suited for the hybrid energy storage application. First, a ...

A fixed frequency operated bidirectional series-resonant (BSR) converter is proposed for energy storage system in DC micro-grid. Simple PWM control is applied to the proposed converter to regulate ...

The LLC resonant isolated DC/DC converter is widely adopted in fuel cell energy storage systems and activation 11,12,13,14,15, it stands out for its easy of control, simple ...

low voltage energy storage unit and the high-voltage bus. This paper proposes a series resonant dc/dc converter for this specific application. In the proposed converter, the step-up ratio is ... the conventional method to boost the step-up ratio is to increase the turns ratio of the transformer [7]. This jeopardizes the system power density and ...

The resonant inductor L_r is in series with the resonant capacitor C_r in the series resonant circuit, the turn ratio of the transformer T_1 is $N:1$, and the output port of the full bridge on the ...

Web: <https://akacje10.waw.pl>

Chat online: <https://tawk.to/chat/667676879d7f358570d23f9d/1i0vbu11i?web=https://akacje10.waw.pl>



Series resonant boost energy storage