

Phase change materials (PCMs) are widely used in a range of energy storage applications due to high latent heat absorption and release capacities during phase change processes. Because of intrinsic leakage, rigidity issues, and weak solar/electrical-thermal conversion ability. ... Xuefeng and Ge, Chunhua and Chen, Ke-Ke and Guan, Hongyu and ...

The anode-free lithium metal battery is considered to be an excellent candidate for the new generation energy storage system because of its higher energy density and safety than the...

The electrical hysteresis behaviors and energy storage performance of $\text{Pb}_{0.97}\text{La}_{0.02}(\text{Zr}_{0.58}\text{Sn}_{0.335}\text{Ti}_{0.085})\text{O}_3$ antiferroelectric (AFE) ceramics were studied under the combined effects of electric field and temperature. It was observed that the temperature dependence of recoverable energy density (W_{re}) of AFE ceramics depends critically on the ...

A flower-like vanadium sulfide/reduced graphene oxide (VS 4 /rGO) composite was prepared by a typical hydrothermal method and it was investigated as cathode for aluminum-ion batteries with non-inflammable and non-explosive ionic-liquid electrolytes. The charge/discharge performance measurements were performed in a voltage range of 0.1-2.0 V versus $\text{Al}/\text{AlCl}_4^-$, which gave ...

Phase change materials (PCMs) are widely used in a range of energy storage applications due to high latent heat absorption and release capacities during phase change processes. Because of intrinsic leakage, rigidity issues, and weak solar-thermal and electro-thermal conversion ability. ... Xuefeng and Ge, Chunhua and Chen, Ke-Ke and Guan ...

Course Title: Electrochemical Energy Storage. Relevant SDGs: 7 Energy. Credit(s): 2 credits. Course Description: ... Prof. Xuefeng Qian focuses mainly on the rational designed synthesis of inorganic functional materials and their applications in energy conversion and storage. He has published more than 200 Papers with an H index of 58 and is ...

Lithium metals offer great promises to achieve higher energy density beyond conventional lithium-ion batteries (LIBs) because of its ultrahigh specific capacity (3860 mAh g^{-1}) and the lowest reduction potentials (-3.04 V vs. standard hydrogen electrode). Unfortunately, the application of lithium metal anode has been long-standingly handicapped by uncontrollable dendrite growth, ...

Zhang Xuefeng stands out in the realm of energy storage technology due to several pivotal contributions and insights. 1. Innovative solutions for energy retention, 2. Significant advancements in battery chemistry, 3. Leadership in strategic collaborations, 4. Commitment to sustainable practices.

Xuefeng Chu's 62 research works with 1,417 citations and 5,494 reads, including: Hierarchical Design of $\text{CuO}/\text{Nickel-Cobalt-Sulfide}$ Electrode by a Facile Two-Step Potentiostatic Deposition

The reversibility and cycling stability of aqueous zinc-ion batteries (AZIBs) are largely limited by serious parasitic reactions and uncontrolled dendrites growth. Herein, *caulis polygoni multiflori* extract (CPM) has been proposed as electrolyte additive to build a convenient bridge to clear the way for Zn^{2+} to migrate to the zinc plate. CPM can set up "oxygen bridges" between Zn plate ...

Rechargeable aluminum batteries (RABs) have been paid considerable attention in the field of electrochemical energy storage batteries due to their advantages of low cost, good safety, high capacity, ... Expand. 17. ... Xuefeng Zhang Shuai Wang +4 ...

These authors contributed equally: Xuefeng Wang, Gorakh Pawar. ... Department of Energy Storage and Advanced Transportation, Idaho National Laboratory, Idaho Falls, ID, USA.

Phase change fibres (PCFs) with excellent thermal energy storage abilities and suitable tuneable temperature properties are of high interest for not only providing human comfort but also reducing energy waste. However, the complex fabrication process and the fragility and low durability of PCFs are issues that must be addressed to widen the scope of their application.

The Journal of Energy Storage focusses on all aspects of energy storage, in particular systems integration, electric grid integration, modelling and analysis, novel energy storage technologies, ...

High-performance Li-ion/metal batteries working at a low temperature (i.e., $< -20\text{ }^{\circ}\text{C}$) are desired but hindered by the sluggish kinetics associated with Li^{+} transport and charge transfer.

Jet fuel-based nanofluid fuel has been proposed for improving the energy density and utilization efficiency of jet fuel that is widely applied in aircraft powered by aviation turbine engines.

Poly(vinylidene fluoride) (PVDF) is the most popular electrode binder in the current lithium ion batteries (LIBs). Depending on solvent content, polymer electrolytes are classified into solid polymer electrolyte (SPE; solvent-free) and gel polymer electrolytes (GPE; solvent-rich). PVDF-based electrolytes with high contents of solvent undisputedly belong to GPE.

A high charged energy density (3.4 J cm^{-3}) and recoverable energy storage density (2.8 J cm^{-3}) with high efficiency (82%) were achieved under 300 kV cm^{-1} for NN-0.10BMN. Superior stabilities and underdamped discharge abilities were also achieved for NN-0.15BMN with a slightly smaller recoverable energy storage density (2.4 J cm^{-3}) ...

Xuefeng CHEN, Professor | Cited by 2,049 | of Chinese Academy of Sciences, Beijing (CAS) | Read 80 publications | Contact Xuefeng CHEN ... The energy storage performance and charge-discharge ...

Lithium batteries employing Li or silicon (Si) anodes hold promise for the next-generation energy storage

systems. However, their cycling behavior encounters rapid capacity ...

Xuefeng Zou: Funding acquisition. ... Aqueous zinc metal batteries (ZMBs) are considered one of the most promising large-scale energy storage devices due to their intrinsic safety, economy and environmental friendliness. Binder serves as a fundamental component in electrodes, playing a pivotal role in cyclic stability of ZMBs. ...

DOI: 10.1016/j.ensm.2023.103114 Corpus ID: 265862578; Green power unleashed: plant extracts forge oxygen bridges for achieving zinc-ion battery super-longevity @article{Hu2023GreenPU, title={Green power unleashed: plant extracts forge oxygen bridges for achieving zinc-ion battery super-longevity}, author={Linfang Hu and Yuying Han and Lijin Yan and Chong Zhu and ...

Read the latest articles of Energy Storage Materials at ScienceDirect , Elsevier's leading platform of peer-reviewed scholarly literature. ... Yuxiang Xie, Cong Zhong, Yixin Huang, ... Xuefeng Wang. Article 103166 View PDF. Article preview. select article MoS₂/CoS₂ heterostructured tube-in-tube hollow nanofibers with ...

A reactor filled with the bi-salt sorbent of CaCl₂ and MnCl₂ was designed, and the performance for long-term thermal energy storage, which included several months of seasonal energy storage and ...

Xuefeng ZHU, Professor (Full) | Cited by 7,264 | of Chinese Academy of Sciences, Beijing (CAS) | Read 156 publications | Contact Xuefeng ZHU ... The efficiency of many rechargeable energy storage ...

Author links open overlay panel Yongqiang Qian a b c, Na Han b c, Xuefeng Gao b c, Xiyin Gao d, Wei Li b c, Xingxiang Zhang b c. Show more. Add to Mendeley. ... (PCFs) with excellent thermal energy storage abilities and suitable tuneable temperature properties are of high interest for not only providing human comfort but also reducing energy ...

Lithium-ion battery (LIB) is considered to be one of the most important energy storage and conversion technologies with prominent advantages of high energy and power densities, which have witnessed large-scale application in portable electronic devices, communication facilities, stationary energy storage, and ever-enlarging markets of electrically powered vehicles.

Towards greener and more sustainable batteries for electrical energy storage. Nat Chem, 2015, 7: 19-29. Article CAS Google Scholar ... Xuefeng Qian is a professor and vice dean of the School of Chemistry and Chemical Engineering and a faculty at the State Key Laboratory of Metal Matrix Composites, Shanghai Jiao Tong University. His research ...

As a facile method to facilitate the uniform lithium deposition on the lithium metal anode, a unique solid electrolyte complexation consisted of polyethylene oxide, UiO-66-NH₂, and deep eutectic solvents (PEMD)

with nanoconfinement significantly improves the lithium metal cycling stability. Specifically, the free amide molecules of deep eutectic solvents are ...

Xuefeng Wang. Institute of Physics, Chinese Academy of Sciences. Verified email at iphy.ac.cn - Homepage. Li metal battery solid electrolyte interphase solid state battery. ... Energy Storage Materials, 103574, 2024. 2024: Reduction-Tolerance ...

The high energy density of 1.28 J/cm³ and ultrahigh energy efficiency of 91% was obtained for PLZST30/60/10. The results will not only enrich our understanding of PLZST antiferroelectric materials but also offers new approach to developing high performance antiferroelectric for energy storage based applications.

The IGPCM composites offer state-of-the-art performance, with energy storage densities as high as 58.16-99.60 J/g. IGPCM10K has high toughness (479.1 MJ/m³) in addition ...

The Journal of Energy Storage focusses on all aspects of energy storage, in particular systems integration, electric grid integration, modelling and analysis, novel energy storage technologies, sizing and management strategies, business models for operation of storage systems and energy storage developments worldwide.

Web: <https://akacje10.waw.pl>

Chat online: <https://tawk.to/chat/667676879d7f358570d23f9d/1i0vbu11i?web=https://akacje10.waw.pl>